

L Number	Hits	Search Text	DB	Time stamp
42	2466	knowledge adj base	USPAT	2004/03/19 15:06
43	418	((knowledge adj base) with program\$5	USPAT	2004/03/19 15:23
44	90	((knowledge adj base) with program\$5) and (709/\$ 707/\$).ccls.	USPAT	2004/03/19 15:36
45	0	6499021.pn. and ((knowledge\$5 adj bas\$5) with (program\$5 application\$5 software\$5))	USPAT	2004/03/19 15:36
46	1	6499021.pn. and ((knowledge\$5 adj bas\$5) same (program\$5 application\$5 software\$5))	USPAT	2004/03/19 16:17
47	1	6499021.pn. and (e-mail\$5 email\$6 fax voice)	USPAT	2004/03/19 17:15
48	2180	definition adj term	USPAT	2004/03/19 16:59
49	30	definition adj term adj3 define\$5	USPAT	2004/03/19 16:43
50	33320	(program software application) with (instance\$5)	USPAT	2004/03/19 17:00
51	53	(program software application) with (instance\$5) with inherent\$6	USPAT	2004/03/19 17:05
52	12529	(program software application) near3 (instance\$5)	USPAT	2004/03/19 17:10
53	898	(program software application) near3 (instantiat\$5)	USPAT	2004/03/19 17:10
54	1	6499021.pn. and (object\$3 instanc\$6)	USPAT	2004/03/19 17:15


[Advanced Search](#) [Preferences](#) [Language Tools](#) [Search Tips](#)

knowledge base program

Google Search

[Web](#) · [Images](#) · [Groups](#) · [Directory](#) · [News](#)
Searched the web for **knowledge base program**. Results **1 - 10** of about **4,550,000**. Search took **0.12** seconds.

### Teknowledge Corporation - Intelligent Internet Transactions

The new address for this page is <http://projects.teknowledge.com/HPKB>

If it doesn't appear in 3 seconds, click the above link instead.

[www.teknowledge.com/HPKB/](http://www.teknowledge.com/HPKB/) - 2k - [Cached](#) - [Similar pages](#)

### FAQTs - Knowledge Base - faqts : Computers : Programming ...

... What's the best way to start writing a PHP **program**? Passing variables with REQUIREfunction (part II); In <http://www.faqts.com/knowledge-base/view.phtml/aid/1205> ...[php.faqts.com/](http://php.faqts.com/) - 101k - Mar 18, 2004 - [Cached](#) - [Similar pages](#)

### IFTB Technical Areas

**KNOWLEDGE BASE PROGRAM. Knowledge Base Program - HPKB - - I3 CPoF**- RKF MISSION STATEMENT: The objective of AFRL/IFTB's **Knowledge** ...[www.rl.af.mil/tech/programs/hpkb/hpkb.html](http://www.rl.af.mil/tech/programs/hpkb/hpkb.html) - 9k - [Cached](#) - [Similar pages](#)

### 815411 - Heap Algorithm Update for Atypically Large Heap

#### Requests

... title: "**Programs** Run Slower After You Install Windows XP SP-1". The contents of the hotfix itself have not changed, only the **Knowledge Base** documentation ...[support.microsoft.com/default.aspx?scid=kb;en-us;815411](http://support.microsoft.com/default.aspx?scid=kb;en-us;815411) - 19k - [Cached](#) - [Similar pages](#)

### 827363 - How to Use the KB 824146 Scanning Tool to Identify Host ...

... Files folder, or the KB824146scan subfolder of the **Program** Files (X86 ... the Patchinstall.vbs script that is described in Microsoft **Knowledge Base** article 827227. ...[support.microsoft.com/?kbid=827363](http://support.microsoft.com/?kbid=827363) - 31k - [Cached](#) - [Similar pages](#)[ [More results from support.microsoft.com](#) ]

### Kibble 0.7.0 -- A knowledge base program

... Kibble 0.7.0 -- A **knowledge base program**. ... Subject: Kibble 0.7.0 -- A **knowledge base program**; Date: Wed, 2 Dec 1998 03:37:28 -0500 (EST). ...[mail.gnome.org/archives/gtk-app-devel-list/1998-December/msg00023.html](http://mail.gnome.org/archives/gtk-app-devel-list/1998-December/msg00023.html) - 5k - [Cached](#) - [Similar pages](#)

### Kibble 0.7.2 -- A knowledge-base program

... Kibble 0.7.2 -- A **knowledge-base program**. ... We are pleased to announce a new release of Kibble, version 0.7.2. Kibble is a GTK-based **knowledge base program**. ...[mail.gnome.org/archives/gtk-list/1999-March/msg00256.html](http://mail.gnome.org/archives/gtk-list/1999-March/msg00256.html) - 4k - [Cached](#) - [Similar pages](#)[ [More results from mail.gnome.org](#) ]

### Open Knowledge Base Connectivity Working Group

... OKBC is being developed under the sponsorship of DARPA's High Performance **Knowledge Base program** (HPKB), where it is being used as an initial protocol for the ...[www.ai.sri.com/~okbc/](http://www.ai.sri.com/~okbc/) - 4k - Mar 18, 2004 - [Cached](#) - [Similar pages](#)

### Knowledg Bas / Program Outcomes

COEHS >> Departments >> Reading. **Knowledge Base / Program Outcomes. Kn wledg**

#### Sponsored Links

#### **Knowledge Base Software**

Search, FAQ, Category, Doc Mgmt, Online Demo, Free Pilot Program  
[www.knowledgebase.net](http://www.knowledgebase.net)Interest: [\[Link\]](#)

#### **Knowledge Base Software**

Create &amp; manage searchable KB. Web-based. Reduce support cost.

[www.ProblemTracker.com](http://www.ProblemTracker.com)Interest: [\[Link\]](#)

#### **Knowledge Base Software**

Web Based, Affordable, Scalable, Help Desk Module, Free Trial

[www.novosolutions.com](http://www.novosolutions.com)Interest: [\[Link\]](#)[See your message here...](#)

**Base.** Reading Home. Assessment Plan. COEHS Home. **Program** Outcomes. UW Oshkosh Home. ...

[www.coehs.uwosh.edu/departments/reading/kbpo.php](http://www.coehs.uwosh.edu/departments/reading/kbpo.php) - 18k - Mar 18, 2004 - [Cached](#) - [Similar pages](#)

### Macromedia - Support : ColdFusion Support Center

... Trials; Buy; More ». Showcase Home; Site of the Day Archive; Showcase

Submissions; Customer Success **Program**; More ... holders. Support **Programs**. See ...

[www.macromedia.com/support/coldfusion/](http://www.macromedia.com/support/coldfusion/) - 22k - [Cached](#) - [Similar pages](#)

# Goooooooooooooogle ►

Result Page:    1 2 3 4 5 6 7 8 9 10    **Next**

[Search within results](#)

Dissatisfied with your search results? [Help us improve.](#)

Get the [Google Toolbar](#):



[Google Home](#) - [Advertise with Us](#) - [Business Solutions](#) - [Services & Tools](#) - [Jobs](#), [Press](#), & [Help](#)

©2004 Google


[Advanced Search](#) [Preferences](#) [Language Tools](#) [Search Tips](#)


[Web](#) · [Images](#) · [Groups](#) · [Directory](#) · [News](#) ·

 Searched the web for **program instantiation**.

 Results **71 - 80** of about **95,300**. Search took **0.26** seconds.

### Template instantiation

... sum up, it seems that we need the explicit template **instantiation** for GNU\_GCC just as in the "g4templates.hh". And include it only once in the main() **program**. ...

erpc1.naruto-u.ac.jp/~geant4/betadocs/ inst2linux/node5.html - 7k - [Cached](#) - [Similar pages](#)

### Language-Parametric Program Restructuring -- NWO Research Project ...

... The **instantiation** of language-parametric **program** transformations for a specific language is more than 'parameter passing' because we want to retain abstract ...

www.cs.vu.nl/lppr/abstract/ - 62k - [Cached](#) - [Similar pages](#)

### Ada Resource Assoc. Ada Terminology

... Each **instantiation** is explicitly invoked in the **program**; values for the generic parameters are supplied as part of the invocation. Information hiding ...

www.adaic.org/learn/terms.html - 14k - [Cached](#) - [Similar pages](#)

### [PDF] Design Pattern Modelling and Instantiation using DPML

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... providing another construct that can be used in the description of a **program**. ... object model, each having its own identifying name and **Instantiation** Diagrams and ...

crpit.com/confpapers/CRPITV10Mapelsden.pdf - [Similar pages](#)

### mpi-external Mailing List Archive: 3rd party datatype ...

... Next in thread: Steve Huss-Lederman: "Re: 3rd party datatype **instantiation** (was: mpi-io ... For example, a parallel **program** writes it's data to some storage facility ...

www.mpi-forum.org/archives/mail/mpi-external/0047.html - 7k - [Cached](#) - [Similar pages](#)

[ [More results from www.mpi-forum.org](#) ]

### Chapter 4. Using Templates

... The object files are linked. After the **program** has been linked correctly, the .ii files contain a complete set of **instantiation** assignments. ...

www.risc.uni-linz.ac.at/courses/ws2003/intropar/ origin-new/CC\_PG/sgi\_html/ch04.html - 38k - [Cached](#) - [Similar pages](#)

### DEC C++

... To organize a **program** to use automatic **instantiation** effectively, you must place the declarations of class and function templates into a header file. ...

www.helsinki.fi/atk/unix/dec\_manuals/ cxx\_6.0/cxx570\_ug\_007.html - 28k - [Cached](#) - [Similar pages](#)

[ [More results from www.helsinki.fi](#) ]

### [PDF] Folding of Finite Program Terms to Recursive Program Schemes

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... to initial **program** terms, which can be folded to an RPS. For a substitution with ground terms  $\mathbb{I} \sqsubseteq \mathbb{I}$  called ini- tial **instantiation** of variables ...

ki.cs.tu-berlin.de/publications/schmid/ieees02.pdf - [Similar pages](#)

### Chapter 4 Getting started

... An example main **program** is shown in Listing 2 on See The example main **pr gram**. ... Application Manager **instantiati** n Line 38 instantiates an ApplicationMgr object ...

lhcb-comp.web.cern.ch/lhcb-comp/Frameworks/ Gaudi/Gaudi\_v6/gug/GUG-5.html - 41k - [Cached](#) - [Similar pages](#)

[PDF] [Using run-time data for program comprehension - Program ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... of the 11 th IEEE International Workshop on **Program** Comprehension (IWPC'03) 1092-8138/03

\$17.00 © 2003 IEEE Page 5. (a) Component **Instantiation** (b) Property ...

[www.infosys.tuwien.ac.at/Staff/tom/Publications/Gschwind2003-using.pdf](http://www.infosys.tuwien.ac.at/Staff/tom/Publications/Gschwind2003-using.pdf) - [Similar pages](#)

◀ Goooooooooooooooooooooogle ▶

Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) **Next**

[Search within results](#)

[Google Home](#) - [Advertise with Us](#) - [Business Solutions](#) - [Services & Tools](#) - [Jobs, Press, & Help](#)

©2004 Google

This is **G o o g l e**'s cache of [http://www.cs.unc.edu/Courses/jbs/lessons/java/o-o\\_concepts/instantiation.html](http://www.cs.unc.edu/Courses/jbs/lessons/java/o-o_concepts/instantiation.html).

**G o o g l e**'s cache is the snapshot that we took of the page as we crawled the web.

The page may have changed since that time. Click here for the [current page](#) without highlighting.

To link to or bookmark this page, use the following url: [http://www.google.com/search?q=cache:ZSIAcGJuGpKJ:www.cs.unc.edu/Courses/jbs/lessons/java/o-o\\_concepts/instantiation.html+program+instantiation&hl=en&start=88&ie=UTF-8](http://www.google.com/search?q=cache:ZSIAcGJuGpKJ:www.cs.unc.edu/Courses/jbs/lessons/java/o-o_concepts/instantiation.html+program+instantiation&hl=en&start=88&ie=UTF-8)


[q=cache:ZSIAcGJuGpKJ:www.cs.unc.edu/Courses/jbs/lessons/java/o-o\\_concepts/instantiation.html+program+instantiation&hl=en&start=88&ie=UTF-8](#)

*Google is not affiliated with the authors of this page nor responsible for its content.*

These search terms have been highlighted: **program instantiation**

## Instantiation

**Instantiation** is the process by which individual objects are created. The system uses the class as the abstract description, or "blueprint," by which to create individual *instances*, or *objects*, of that class type. Thus, there is normally a many-to-one relationship between instances of objects and the class from which those objects are derived. Furthermore, instances may be created at any time during the execution of the **program**.



**Instantiation.** Shows multiple objects (instances) derived from a single class.

The opposite of **instantiation** is *garbage collection*. It is the process by which the system gets rid of objects that are no longer needed and reclaims resources (e.g., space) allocated to those objects

